






Classical styling – individual design freedom






Technical data

| | |
|------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Visible side | Fleece, white |
| Edges | Fleece, white |
| Edge detail | Straight edges, all the way round |
| Dimensions and weight | <p>Corpus S1: height 150 mm, dimension 520 x 520 mm, approx. 2.2 kg</p> <p>Corpus S2: height 300 mm, dimension 520 x 520 mm, approx. 3.4 kg</p> <p>Corpus M1: height 150 mm, dimension 1120 x 520 mm, approx. 4.1 kg</p> <p>Corpus M2: height 300 mm, dimension 1120 x 520 mm, approx. 6.0 kg</p> <p>Corpus L1: height 150 mm, dimension 1120 x 1120 mm, approx. 7.3 kg</p> <p>Corpus L2: height 300 mm, dimension 1120 x 1120 mm, approx. 9.9 kg</p> <p>Corpus XL1: height 150 mm, dimension 1120 x 1720 mm, approx. 10.6 kg</p> <p>Corpus XL2: height 300 mm, dimension 1120 x 1720 mm, approx. 13.8 kg</p> <p>Corpus XXL1: height 150 mm, dimension 1120 x 2320 mm, approx. 13.8 kg</p> <p>Corpus XXL2: height 300 mm, dimension 1120 x 2320 mm, approx. 17.8 kg</p> |
| Grid suspension | Incl. wire suspension, L = 1.5 m, ceiling fixation |
| Sound absorption |  $\alpha_w = 1.00$ $NRC = 1.00$ |





Corpus



Corpus | Content

| Pack | Description / dimensions /surface | Units/pack |
|------|--------------------------------------------------------------------------------------|------------|
| 1 | Corpus S1 Canopy, height 150 mm, dimension 520 x 520 mm, fleece covered white | 1 |
| 2 | Corpus S2 Canopy, height 300 mm, dimension 520 x 520 mm, fleece covered white | 1 |
| 3 | Corpus M1 Canopy, height 150 mm, dimension 1120 x 520 mm, fleece covered white | 1 |
| 4 | Corpus M2 Canopy, height 300 mm, dimension 1120 x 520 mm, fleece covered white | 1 |
| 5 | Corpus L1 Canopy, height 150 mm, dimension 1120 x 1120 mm, fleece covered white | 1 |
| 6 | Corpus L2 Canopy, height 300 mm, dimension 1120 x 1120 mm, fleece covered white | 1 |
| 7 | Corpus XL1 Canopy, height 150 mm, dimension 1120 x 1720 mm, fleece covered white | 1 |
| 8 | Corpus XL2 Canopy, height 300 mm, dimension 1120 x 1720 mm, fleece covered white | 1 |
| 9 | Corpus XXL1 Canopy, height 150 mm, dimension 1120 x 2320 mm, fleece covered white | 1 |
| 10 | Corpus XXL2 Canopy, height 300 mm, dimension 1120 x 2320 mm, fleece covered white | 1 |

Corpus | Fitting set for ceiling installation

| | Description / dimensions /surface |
|--------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Corpus set 1 | Fitting set for Corpus S1, S2, M1, M2, L1, L2, contains 4 pieces of rope sets consisting of suspension wire, 1500 mm, rope adjuster with security hook, fixture of ceiling M6, 1 Corpus set 1 required per ceiling canopy |
| Corpus set 2 | Fitting set for Corpus XL1, XL2, contains 2 x 4 pieces of rope sets consisting of suspension wire, 1500 mm, rope adjuster with security hook, fixture of ceiling M6, 1 Corpus set 2 required per ceiling canopy |
| Corpus set 3 | Fitting set for Corpus XXL1, XXL2, contains 1 x 4 pieces and 1 x 6 pieces of rope sets consisting of suspension wire, 1500 mm, rope adjuster with security hook, fixture of ceiling M6, 1 Corpus set 3 required per ceiling canopy |

Corpus | LED-lamp

| | Description / dimensions /surface |
|-----------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Corpus Q1 | LED-lamp, 520 x 520 x 150 mm, 4000 K, DALI-dimmable consisting of: LED light module 520 x 520 x 25 mm, diffuser 520 x 520 x 150 mm and suspension set |
| Corpus Q2 | LED-lamp, 520 x 520 x 300 mm, 4000 K, DALI-dimmable consisting of: LED light module 520 x 520 x 25 mm, diffuser 520 x 520 x 300 mm and suspension set |
| Corpus Q1 | LED-lamp, 520 x 520 x 150 mm, tunable white, DALI-dimmable consisting of: LED light module 520 x 520 x 25 mm, diffuser 520 x 520 x 150 mm and suspension set |
| Corpus Q2 | LED-lamp, 520 x 520 x 300 mm, tunable white, DALI-dimmable consisting of: LED light module 520 x 520 x 25 mm, diffuser 520 x 520 x 300 mm and suspension set |



Product warranties

The information provided in this leaflet is based on the standards and data available at the time of publication. Any performance, warranties or guarantees provided, expressed or implied, are subject to the exclusive use of OWA components and the installation of those components in accordance with our recommendations. Failure to adhere to these conditions will result in the invalidation of any performance claims, warranties or guarantees and rejection of any liability. OWA reserves the right to make any technical improvements to the products, systems or services without prior notice. **All goods and services are supplied in accordance with our current Terms and Conditions of Sale.** Errors excepted!



The information in this brochure is up-to-date at the time of publication. Errors and mistakes excepted. Please contact our competence team OWAconsult for specific advice. Our experts will be happy to answer your questions under the following contact details: tel: +49 93 73 . 2 01-4 44 or e-mail: info@owaconsult.de

OWA

Odenwald Faserplattenwerk GmbH

Dr.-F.-A.-Freundt-Straße 3 | 63916 Amorbach | Germany
tel +49 93 73 . 2 01-0 | info@owa.de
www.owa-ceilings.com